# BRUNETTE BioSizer® High Speed Grinder



PERFORMANCE | RELIABILITY | RECOVERY



### **BRUNETTE BioSizer®**

**The Brunette BioSizer®** is specifically designed to produce a fine uniform sized product ideal for the biomass industry. This rugged high speed secondary grinder is ergonomic and user-friendly.

Built to be low maintenance, the Brunette BioSizer has a high inertia rotor and fixed, steel hammers. The four rows of staggered hammers provide maximum bites per revolution. The extreme duty main frame is line-bored for accuracy and protected with internal bolt-on replaceable wear liners

The three-piece grate has a progressive rectangular hole pattern and interchangeable sections. It can easily be changed out to other hole patterns to suit required product size.

This solid wastewood grinder efficiently processes various material such as oversized "bush-grind" hog fuel, trim blocks, bark, wood chips, and typical urban wood waste: converting it all to uniformed sized fibres suitable for pellets, briquettes or high quality biomass fuel.

- HIGH SPEED GRINDING
- FIXED STRIKER, HIGH INERTIA ROTOR

SWING AWAY ANVIL WITH SHEAR PROTECTION

- THREE PIECE GRATE WITH INTERCHANGEABLE SECTIONS
- REPLACEABLE INTERNAL LINERS FOR ABRASION RESISTANCE
- STEEL HOUSING FOR LONG LIFE
- HEAVY-DUTY FABRICATION
- LINE-BORED FOR MAXIMUM BEARING LIFE AND EASY MAINTENANCE
- ROBUST DESIGN FOR BETTER RIGIDITY
- ACCURATE SIZE REDUCTION
- DESIGNED TO PROCESS A VARIETY OF MATERIALS
- LARGE REAR-ACCESS DOOR
- SAFETY INTERLOCKS



## HIGH SPEED GRINDER | Take control of your fibre supply with the BRUNETTE BioSizer



#### ✓ MAIN FRAME

The main frame is line bored for accuracy and alignment. Internal wear surfaces are covered with easy to replace bolt-on liners

#### ANVIL ASSEMBLY >

The extra heavy duty swing-away anvil comes complete with bolt-on-liner and is shear pin protected in the event tramp metal enters the grinder





#### ✓ HIGH SPEED ROTOR

The high inertia rotor is manufactured from steel segments with off-set lobes, which carry a two-sided tungsten carbide coated striker bar

#### ARBOR ASSEMBLY >

The rotor is mounted with B-Loks onto an oversized shaft supported by spherical bearings and installed in a spigot mounted steel bearing housing.





#### **≺ SCREENS**

The screen is manufactured with three interchangeable sections. Screens are available with optional hold patterns to vary product ouptut size

#### CHIPS ➤

Rotor RPM and screen size can be adjusted to produce a customized product suitable to vour needs



PERFORMANCE ENGINEERED • SIMPLE EFFECTIVE GRINDING

1.800.686.6679 • 1.604.522.3977 • www.brunettemc.com

## BRUNETTE BioSizer® High Speed Grinder

**Get More From Your Mill** 



More Information and brochures for quality products available at **www.brunettemc.com** 

DISC SCALPING SCREENS
VIBRATING CONVEYORS
FLARE BUTT REDUCERS
WHOLE LOG CHIPPERS
ROTARY DEBARKERS
LOG SINGULATORS®
VENEER CHIPPERS
DRUM CHIPPERS
LOG SWEEPS
GRINDERS
HOGS



#### **BRUNETTE MACHINERY CO.**

#### **HEAD OFFICE / CAPITAL SALES**

8717 132nd St • Surrey, BC V3W 4P1 CANADA Office: 604.522.3977 • Toll Free: 1.800.686.6679 Email: sales@brunettemc.com • www.brunettemc.com

#### NORTHERN BC DIVISION

1076 Great St • Prince George, BC V2N 2K8 CANADA
Office: 250.563.0596 • Toll Free: 1.800.686.6679
Email: pgoffice@brunettemc.com • www.brunettemc.com

PERFORMANCE' RELIABILITY RECOVERY

